



Memo No. 2018-005
Date: 12-January-2018
Memo To: Clients
Re: Resumption of Service – Alkaline Phosphatase: Bone Specific

ICL’s usual reference testing laboratory for Alkaline Phosphatase: Bone Specific has resumed testing of this assay.

Effective Immediately ICL will resume sending to this Canadian laboratory.

Test	Test Site	Effective date	Price
Alkaline Phosphatase: Bone Specific	Mount Sinai Hospital	Immediately	No Change
Methodology	HL7 Order Code	HL7 Result Code(s)	Comments
CLIA	Order Code: BSALP	21359 Bone-Specific ALP plasma	
Specimen	Storage/Transport Temperature	Reference Range	
1 mL Serum or Plasma (Heparin – green top)	Frozen	No change: Female (Pre-menopausal): <=14 µg/L Female (Post-menopausal): <=22 µg/L Male: 0 - 20 µg/L	

If you have further questions please contact Client Care at (416) 422-3000 Ext. 300 or info@ICLabs.ca

Joanie Mackay, MLT, BHA
 Director of Laboratory Operations
 (416) 422-3000 Ext. 225
JoanieMackay@ICLabs.ca

Want to receive updates by e-mail? Please contact Client Care info@ICLabs.ca

ICL is the only Not-For-Profit dedicated broker of lab diagnostic tests in Canada
 57 Gervais Drive, North York, ON M3C 1Z2 (416) 422-3000 Ext. 300 info@ICLabs.ca