



Memo No. 2019-007
Date: 22-Feb-2019
Memo To: Clients
Re: Various

Anti-Immunoglobulin A, Serum

Effective immediately, stability for this test specimen is revised.

Ambient: 7 days	Refrigerated: 7 days	Frozen: 30 Days
HL7		
Order Code: IGAAB (REF Code)	Result Code: 38420 Anti-IgA (RES Code)	Units: U/mL

IA-2 Antibody, Serum

Effective immediately, the test method is changed to ELISA. Please refer to the website for revised stability and reference values.

HL7		
Order Code: IA2QST (REF Code)	Result Code: 62885 IA-2 Antibody (RES Code)	Units: U/mL

Osteocalcin, Serum

Pediatric reference ranges previously missing from the website have been added. There is no change in the assay or service and all previous reports included the age-appropriate reference values.

HL7		
Order Code: OSTEO (REF Code)	Result Code: 36478 N-MID Osteocalcin (RES Code)	Units: ug/L

If you have further questions, please contact Client Care at (416) 422-3000 Ext. 300 or info@ICLabs.ca

Dr. Shashank Tilak, Ph.D., DCC
Laboratory Director
(416) 422-3000 Ext. 221
ShashTilak@ICLabs.ca

Want to receive updates by e-mail? Please contact Client Care info@ICLabs.ca