



Memo No. 2020-019
Date: 11-Mar-2020
Memo To: Clients
Re: *Test Revision Update: Metanephrines and Dopamine, Urine*

ICL Memo 2020-016 advised that St Michael’s Hospital will upgrade the testing methodology and reporting of urine metanephrines and dopamine.

Please note that due to the complexity of this method change and weekly batch testing, specimens received at ICL from **today onward** will be analyzed using the new test method, starting with the first analytical runs on or about 17 March 2020.

Interfaced Clients: Please revise your interface Order Codes as soon as possible. All orders received with the old Order Codes will be revised at ICL; revised orders cannot be reported back using the interface but will be faxed.

	OLD CODES	NEW CODES
Dopamine, Random Urine	DOPARU	DOPAFRU
Dopamine, 24 hr Urine	DOPA U	DOPAF U
Metanephrines, Random Urine	METRU	METFRU
Metanephrines, 24 hr Urine	MET U	METF U

Details for these new test services are available in the ICL web-based test catalogue:

- [Dopamine, Random Urine](#)
- [Dopamine, 24 hr Urine](#)
- [Metanephrines - Fractionated, Random Urine](#)
- [Metanephrines - Fractionated, 24 hr Urine](#)

If you have further questions, please contact Client Care at (416) 422-3000 Ext. 300 or info@ICLabs.ca

Dr. Shashank Tilak, Ph.D., DCC
Laboratory Director
(416) 422-3000 Ext. 221
ShashTilak@ICLabs.ca

Want to receive updates by e-mail? Please contact Client Care info@ICLabs.ca