



www.ICLabs.ca

**Memo No.** 2022-004  
**Date:** 06-Apr-2022  
**Memo To:** Clients  
**Re:** *H. Pylori Antigen, Feces stability*

---

***Helicobacter pylori Antigen, Feces***

Sample stability has been shortened to:

Ambient 4 days

Refrigerated 4 days

Frozen 14 days

Refer to the online catalogue for full details: [Helicobacter pylori Antigen, Feces](#)

---

If you have further questions, please contact Client Care at (416) 422-3000 Ext. 300 or [info@ICLabs.ca](mailto:info@ICLabs.ca)

Dr. Shashank Tilak, Ph.D., DCC  
Laboratory Director  
(416) 422-3000 Ext. 221  
[ShashTilak@ICLabs.ca](mailto:ShashTilak@ICLabs.ca)

**Want to receive updates by e-mail? Please contact Client Care [info@ICLabs.ca](mailto:info@ICLabs.ca)**

*ICL is the only Not-For-Profit dedicated broker of lab diagnostic tests in Canada*  
57 Gervais Drive, North York, ON M3C 1Z2 (416) 422-3000 Ext. 300 [info@ICLabs.ca](mailto:info@ICLabs.ca)  
2022-004 H pylori revision Page 1 of 1