In-Common Laboratories

57 Gervais Drive
North York, ON, Canada M3C 1Z2
tel: 416-422-3000 ext. 300
info@iclabs.ca
iclabs.ca

Memo no.: 2026-027
Date: 18-Nov-2026
Memo to: Clients
Re: ***Test Revision - Fructosamine***

Effective immediately, Fructosamine, Serum testing at Laboratory Reference Centre is unavailable due to a vendor reagent supply issue.

ICL will inform you once the service has resumed.

Alternate Service: Fructosamine, Serum/Plasma testing is available by Spectrophotometry (SP) at Quest Diagnostics.

ICL Test ID: FRUCTQST S
HL7 Order Code: FRUCTQST S; Result Code 66421 Fructosamine; Units µmol/L
Collection Tubes: Preferred Gold top (clot activator & gel); Acceptable: Green top (lithium or sodium heparin), Lavender top (EDTA)
Volume: 1 mL
Stability: Ambient 72 hours; Refrigerated 14 days; Frozen 60 days

---

If you have further questions, please contact Client Care at 416-422-3000 ext. 300 or info@iclabs.ca

Dr. Shashank Tilak, Ph.D., DCC
Laboratory Director
416-422-3000 ext. 221 shashtilak@iclabs.ca