
- Failure to follow instructions may compromise the clinical usefulness of your lab results.
- Please contact your health care provider or Physicians Lab if you need assistance.
- Abnormal kidney function may influence test results. Do not perform on individuals with kidney disorders.
- Certain medicines may impact test results (e.g. cephalosporins, cimetidine, fibrates and trimethoprimsulfamethoxazole). Let your physician know about your use of these medications.
- Do not change use of medications unless instructed to do so by your healthcare provider.
- Although most supplements and prescriptions can be taken during collection, there are a few that can interfere with the test results. To view these Additional Restrictions, visit our FAQ page at www.PhysiciansLab.com

Urinary Adrenal Profile (24 Hour)



To view collection instruction videos online, please scan the QR code below or visit www.PhysiciansLab.com/collection-instructions



Need more information?
Please see our instructional videos at www.PhysiciansLab.com or call 877.326.5969



4850 T-Rex Avenue, Suite 150 Boca Raton, FL 33431



© Copyright 2019 Physicians Lab, Inc. All rights reserved.

Physicians Lab is a laboratory testing facility only and does not diagnose, treat, or recommend treatment for medical conditions.

PHYL-KIT-24HR-ADR-2024-03-18

Verify the following contents are in your kit.

Packing Materials

- 1 Foam Insert
- 1 Gel Ice Pack

Collection Devices

- <u>5 Single Use Collection Cups</u> -Product 838-1300 CSS Tech Solution Company Unit 9A, 2/F, Block B, Kowloon Bay, Hong Kong SAR, China
- 5 Single Use Transfer Pipettes Product Number 242 Samco Scientific Corp 168 Third Ave Waltham MA 02451
- <u>5 Single Use Urine Tubes</u> Product Number T501-5AT Simport Scientific 2588 Bernard-Pilon, Beloeil QC, J3G 4S5 Canada

When Should I Collect My Urine?

Female: Collect any day.

Male: Collect any day.

Preparing for the Test

- Avoid supplements containing Creatine for 48 hours before testing.
- Avoid Alcohol the night before and during the collection process.
- Stop drinking fluids 2 hours before bed.
- Do not exceed your usual intake of caffeine and Vitamin C for 24 hours prior to urine collection.
- Place the gel pack in your freezer.

How To Collect?

- 1. Collect urine specimen in a single use disposable cup.
- 2. Transfer urine specimen from the cup to the color coded corresponding urine tube with a single use plastic pipette.
- 3. Screw cap onto test tube securing urine specimen.
- 4. Dispose of collection cup and transfer pipette
- 5. Refrigerate each sample after it is collected

Place all these items in box:

- Place the 5 urine samples in the foam insert provided in the kit.
- Place frozen gel pack on top of specimens in the foam insert.
- Place this document with collection date and times on top of ice pack.

Shipping

- ▼ Place the fozen icepack on top of the specimens immediately before shipping
- ▼ In the event you are not able to ship them the day testing is completed, simply store the samples in the refrigerator and ship the samples the following day.

FAQ

Q: What if I need to restart because of an error?

A: Please rinse the tubes out with purified water and air dry.

Q: What if I wake up in the middle of the night to urinate?

A: Do not collect any overnight sample collect upon waking for the day.

IMPORTANT: Record collection dates and times below and return this sheet with your samples.

Collection Day:

Collection 5

/ / mm/dd/yy Refrigerate each sample after it is collected.

Step 7: Waking (day 2 of collection)	Immediately upon waking for the day:	or the filgrit, do not concet this drift
Step 6: Prepare for tomorrow	▼ Your next collection will be tomorrow (immediately upon waking).	▼ If you awaken to urinate in the midd of the night, do not collect this uring
Collection 4	▼ Restrict fluid intake to 8 oz overnight	Collection Time:
	▼ Collect Urine - follow "How To Collect"	
Step 5:	Four (4) hours after Collection #3:	
	Restrict fluid ilitare to 0.02 over the flext + flours.	concension rance
Collection 3	▼ Collect Urine - follow "How To Collect" ▼ Restrict fluid intake to 8 oz over the next 4 hours.	Collection Time:
Step 4:	Four (4) hours after Collection #2:	
		<u> </u>
Collection 2	▼ Restrict fluid intake to 8 oz over the next 4 hours.	Collection Time:
	▼ Collect Urine - follow "How To Collect"	
Step 3:	Four (4) hours after Collection #1:	
Step 2: Collection 1	Restrict fluid intake to 8 oz over the next 4 hours.	Collection Time:
	Four (4) hours after waking: ▼ Collect Urine - follow "How To Collect"	
	E. Mile or Green Item	
		DO NOT COLLECT
DO NOT COLLECT	Restrict fluid intake to 4 oz over the next 4 hours.	Time of WAKING:
EMPTY BLADDER	 When you are ready to awaken for the day, completely empty your bladder into the toilet. DO NOT collect this urine. 	
Step 1: Waking (day 1 of collection)	Upon waking on the day of collection:	hladday into the tailet

▼ Collect urine within 5 minutes of waking up. follow "How To Collect"

Collection Time