

In-Common Laboratories
 Head Office: 57 Gervais Drive
 North York, Ontario M3C 1Z2
 (416) 422-3000
 Toll Free: (888) 285-7817
 www.ICLabs.ca

Patient Name
TEST, SAMPLE

Sex
U

Date of Birth (mm/dd/yyyy)
MM/DD/YYYY

Order ID
1234567890

Client File No:

Report Copied To:

Client Name
 Client Address 1
 Client Address 2 City, Province,
 Postal Code,
 Country

Health Number
XXXXXXXXXXJP

Report Printed
02/21/2024 4:48PM

ICL Login Date (mm/dd/yyyy)
MM/DD/YYYY HH:MM AM

Authorized Requester
Doctor, ICL, MD

Neuromyelitis Spectrum Profile, CSF

Sample ID:

Status MM/DD/YYYY HH:MM AM

Collection Date/Time (mm/dd/yyyy)
 MM/DD/YYYY HH:MM AM

Order Choice Spinal Fluid
 Comments:

TEST	RESULT	FLAG	NORMAL/THERAPEUTIC RANGE	UNITS	TEST SITE
Anti-AQP4,CSF	Negative		Negative		LON
Anti-MOG,CSF	Negative		Negative		LON

Reporting Laboratories:

(1) LON-London, London Health Sciences Centre, 339 Windermere Road, London, ON N6A 5A5,

Patient Complete Name:

Order ID

Current Page Number: 1

Total Pages Count: 1