

Reference Ranges - Neurofilament Light Chain (NfL), Serum

Test ID: NFLRO S

Roche Elecsys Age-specific Reference Intervals

Age	Roche NfL Upper 97.5th Percentile	Age	Roche NfL Upper 97.5th Percentile
18	1.02	52	2.36
19	1.06	53	2.42
20	1.10	54	2.49
21	1.14	55	2.55
22	1.18	56	2.62
23	1.22	57	2.69
24	1.26	58	2.77
25	1.30	59	2.84
26	1.34	60	2.92
27	1.37	61	3.00
28	1.40	62	3.08
29	1.44	63	3.17
30	1.46	64	3.25
31	1.49	65	3.34
32	1.52	66	3.42
33	1.55	67	3.51
34	1.58	68	3.59
35	1.61	69	3.68
36	1.64	70	3.77
37	1.67	71	3.86
38	1.71	72	3.95
39	1.75	73	4.04
40	1.78	74	4.13
41	1.82	75	4.21
42	1.87	76	4.30
43	1.91	77	4.39
44	1.95	78	4.48
45	1.99	79	4.57
46	2.04	80	4.66
47	2.09	81	4.75
48	2.14	82	4.84
49	2.19	83	4.93
50	2.24	84	5.02
51	2.30	85	5.10

Last Updated: March 11, 2025

Testing Site: Eastern Ontario Regional Laboratory Association (EORLA)

Address: The Ottawa Hospital General Campus, 501 Smyth Road, Ottawa, ON, K1H 8L6