

<b>Deoxycorticosterone Reference Ranges (Quest Diagnostics Nichols Institute SJC)</b>		
<b>Age</b>	<b>Male</b>	<b>Female</b>
< 30 days:	No range established	
1-11 months:	≤ 69 ng/dL	≤ 93 ng/dL
1 year:	≤ 66 ng/dL	≤ 100 ng/dL
2 years:	≤ 64 ng/dL	≤ 100 ng/dL
3 years:	≤ 63 ng/dL	≤ 96 ng/dL
4 years:	≤ 63 ng/dL	≤ 89 ng/dL
5 years:	≤ 62 ng/dL	≤ 78 ng/dL
6 years:	≤ 58 ng/dL	≤ 65 ng/dL
7 years:	≤ 51 ng/dL	≤ 53 ng/dL
8 years:	≤ 44 ng/dL	≤ 45 ng/dL
9 years:	≤ 38 ng/dL	≤ 40 ng/dL
10 years:	≤ 31 ng/dL	≤ 35 ng/dL
11 years:	≤ 26 ng/dL	≤ 30 ng/dL
12 years:	≤ 22 ng/dL	≤ 25 ng/dL
13 years:	≤ 20 ng/dL	≤ 21 ng/dL
14 years:	≤ 20 ng/dL	≤ 19 ng/dL
15 years:	≤ 20 ng/dL	≤ 18 ng/dL
16 years:	≤ 20 ng/dL	≤ 18 ng/dL
17 years:	≤ 19 ng/dL	≤ 18 ng/dL

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.