

In-Common Laboratories

Head Office: 57 Gervais Drive North York, Ontario M3C 1Z2 (416) 422-3000

Toll Free: (888) 285-7817

www.ICLabs.ca

Client Name Client Address 1 Client Address 2 City, Province, Postal Code, Country

Patient Name TEST, SAMPLE Sex U

Date of Birth (mm/dd/yyyy)

MM/DD/YYYY

Client File No:

Health Number

Order ID

1234567890

XXXXXXXXXJP

Report Printed 12/08/2023 12:31PM EST

ICL Login Date (mm/dd/yyyy)

MM/DD/YYYY HH:MM AM

Authorized Requester DOCTOR, ICL, MD

IgLON5 Antibodies, Serum

Sample ID: LON231114004

Final - Received 11/15/2023 11:30AM EST

Collection Date/Time (mm/dd/yyyy)

11/14/2023 10:47AM EST

Order Choice

Serum Comments:

TEST RESULT FLAG

NORMAL/THERAPEUTIC RANGE

UNITS

TEST SITE

Anti-IgLON5,S

Positive

AA

Negative

LON

Reporting Laboratories:

(1) LON-London, London Health Sciences Centre, 339 Windermere Road, London, ON N6A 5A5,

Patient Complete Name:

Order ID

Current Page Number: 1 Total Pages Count: 1