

<b>In-Common Laboratories</b> Head Office: 57 Gervais Drive North York, Ontario M3C 1Z2 (416) 422-3000 Toll Free: (888) 285-7817 www.ICLabs.ca	Patient Name <b>TEST, SAMPLE</b>	Sex <b>U</b>	Date of Birth (mm/dd/yyyy) <b>MM/DD/YYYY</b>
Client Name Client Address 1 Client Address 2 City, Province, Postal Code, Country	Order ID <b>1234567890</b>	Health Number <b>XXXXXXXXXXJP</b>	<b>Client File No:</b>  <b>Report Copied To:</b>  Report Printed <b>12/18/2023 1:19PM</b>
	ICL Login Date (mm/dd/yyyy) <b>MM/DD/YYYY HH:MM AM</b>	Authorized Requester <b>Doctor, ICL, MD</b>	

**Methylenetetrahydrofolate Reductase (MTHFR) DNA Mutation Analysis, Whole Blood**

Sample ID:

Status MM/DD/YYYY HH:MM AM

Collection Date/Time (mm/dd/yyyy)  
 MM/DD/YYYY HH:MM AM

Order Choice      Testing performed at: EZ, Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608  
 Comments:        Ortega Hwy, San Juan Capistrano, CA, 92675-2042, Laboratory Director: Irina Maramica  
                          MD,PhD,MBA

TEST	RESULT	FLAG	NORMAL/THERAPEUTIC RANGE	UNITS	TEST SITE
METHYLENETETRAHYDROFOLATE REDUCTASE (MTHFR), DNA	NEGATIVE				EZ

RESULT: NO VARIANT DETECTED

INTERPRETATION      See Below

EZ

INTERPRETATION: This individual is negative (normal) for the variants, C677T and A1298C, in the MTHFR gene. This result is not associated with an increased risk for coronary artery disease, venous thromboembolism, or adverse pregnancy outcome.

Laboratory results reviewed and released by qualified personnel.

Reduced methylenetetrahydrofolate reductase (MTHFR) enzyme activity is a genetic risk factor for hyperhomocysteinemia, especially when present with low serum folate levels. Two common variants in the MTHFR gene result in reduced enzyme activity. The "thermolabile" variant C677T [NM 005957.3: c.665C>T (p.A222V)] and A1298C [c. 1286A>C (p.E429A)] occur frequently in the general population.

Mild to moderate hyperhomocysteinemia has been identified as a risk factor for coronary artery disease and venous thromboembolism. Hyperhomocysteinemia is multifactorial, involving a combination of genetic, physiologic and environmental factors. Recent studies do not support the previously described association of increased risk for coronary artery disease and venous thromboembolism with mild hyperhomocysteinemia caused by reduced MTHFR activity. Therefore, the utility of MTHFR variant testing is uncertain and is not recommended by The American College of Medical Genetics and Genomics (ACMG) or the American Congress of

<p><b>In-Common Laboratories</b> Head Office: 57 Gervais Drive North York, Ontario M3C 1Z2 (416) 422-3000 Toll Free: (888) 285-7817 www.ICLabs.ca</p> <p>Client Name Client Address 1 Client Address 2 City, Province, Postal Code, Country</p>	<p>Patient Name <b>TEST, SAMPLE</b></p> <p>Order ID <b>1234567890</b></p> <p>Health Number <b>XXXXXXXXXXJP</b></p> <p>ICL Login Date (mm/dd/yyyy) <b>MM/DD/YYYY HH:MM AM</b></p> <p>Authorized Requester <b>Doctor, ICL, MD</b></p>	<p>Sex <b>U</b></p> <p>Date of Birth (mm/dd/yyyy) <b>MM/DD/YYYY</b></p> <p>Client File No:</p> <p>Report Copied To:</p> <p>Report Printed <b>12/18/2023 1:19PM</b></p>
---	---	--

**Methylenetetrahydrofolate Reductase (MTHFR) DNA Mutation Analysis, Whole Blood**

Sample ID:

Status MM/DD/YYYY HH:MM AM

Collection Date/Time (mm/dd/yyyy)  
MM/DD/YYYY HH:MM AM

Order Choice      Testing performed at: EZ, Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608  
Comments:        Ortega Hwy, San Juan Capistrano, CA, 92675-2042, Laboratory Director: Irina Maramica  
MD, PhD, MBA

TEST	RESULT	FLAG	NORMAL/THERAPEUTIC RANGE	UNITS	TEST SITE
------	--------	------	--------------------------	-------	-----------

Obstetricians and Gynecologists (ACOG) in the evaluation of venous thromboembolism or adverse pregnancy outcome.

Modest positive association has also been found between the "thermolabile" variant of the MTHFR gene and many other medical complications, such as recurrent pregnancy loss, risk of offspring with neural tube defects, neuropsychiatric disease, and chemotherapy toxicity. Increased risk of coronary artery disease, venous thromboembolism and increased plasma homocysteine can be caused by a variety of genetic and non-genetic factors not screened for by this assay. If indicated by personal or family history of thromboembolism, consider additional testing such as plasma homocysteine levels, factor V Leiden and prothrombin gene mutations.

The C677T and A1298C variants are detected by amplification of the selected regions of the MTHFR gene by polymerase chain reaction (PCR) and fluorescent probes hybridization to the targeted regions, followed by melting curve analysis with a real time PCR system. Although rare, false positive or false negative results may occur. All results should be interpreted in context of clinical findings, relevant history, and other laboratory data. Health care providers, please contact your local Quest Diagnostic's genetic counselor or call 866-GENEINFO (866-436-3463) for assistance with interpretation of these results.

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ66> (This link is being provided for informational/educational purposes only.)

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**In-Common Laboratories**  
Head Office: 57 Gervais Drive  
North York, Ontario M3C 1Z2  
(416) 422-3000  
Toll Free: (888) 285-7817  
www.ICLabs.ca

Client Name  
Client Address 1  
Client Address 2 City, Province,  
Postal Code,  
Country

Patient Name  
**TEST, SAMPLE**

Order ID  
**1234567890**

Health Number  
**XXXXXXXXXXJP**

ICL Login Date (mm/dd/yyyy)  
**MM/DD/YYYY HH:MM AM**

Authorized Requester  
**Doctor, ICL, MD**

Sex  
**U**

Date of Birth (mm/dd/yyyy)  
**MM/DD/YYYY**

**Client File No:**

**Report Copied To:**

Report Printed  
**12/18/2023 1:19PM**

---

Reporting Laboratories:  
(1) QST-Quest, Quest Diagnostics,

---

Patient Complete Name:

Order ID

Current Page Number: 3  
Total Pages Count: 3