



In-Common Laboratories

Head Office: 57 Gervais Drive
North York, Ontario M3C 1Z2
(416) 422-3000
Toll Free: (888) 285-7817
www.ICLabs.ca

ICL-QC
57 Gervais Drive
North York, ON M3C 1Z2
Canada
Fax: (416) 385-1957

Patient Name
TEST, PATIENT Sex
M

Date of Birth (mm/dd/yyyy)
02/16/1995

Order ID
2523310

Client's File No.

Health Number
6773267775^AD^ON

ICL Login Date (mm/dd/yyyy)
11/06/2023 1:52PM EST

Report Printed
11/06/2023 1:59PM EST

Authorized Requester
ICL, ICL

Alpha-1-Antitrypsin Genotype, Serum and Whole Blood

Sample ID: ICL231106003

Final - Approved 11/06/2023 1:55PM EST

Collection Date/Time (mm/dd/yyyy)
11/06/2023 1:52PM EST

Order Choice Testing Site: St. Paul's Hospital, 1081 Burrard Street, Vancouver, BC V6Z 1Y6
Comments:

Mandatory clinical information is provided on infosheet Yes
Both Serum and Whole Blood submitted Yes

TEST	RESULT	FLAG	NORMAL/THERAPEUTIC RANGE	UNITS	TEST SITE
Attached	Attachment				ICL1

Reporting Laboratories:

(1) ICL, In-Common Laboratories, North York, ON M3C 1Z2,

Patient Complete Name: TEST, PATIENT

Order ID: 2523310

Current Page Number: 1

Total Pages Count: 1

Lower Mainland Pathology and Laboratory Medicine
 Vancouver Coastal Health, Providence Health, Provincial Health Services Authority
 Life Labs

Ordering Physician
 Clinic
 Street Address
 City

NAME: LAST, FIRST
 MRN: BC123456789
 DOB: DD/MMM/YYYY SBX: M
 PHN: 123456789
 LOC: Ordering Location
 BNC:

ACC: M000001 COLL: 01/Sep/2023 13:22 REC: 06/Sep/2023 09:48 PHYS: Ordering Physician
 REPORT STATUS: FINAL
 Order Comment: Referring Lab Ref #

<u>ORDER</u>	<u>RESULT</u>	<u>REF RANGE</u>	<u>UNITS</u>	<u>RESULTED</u>	<u>PL</u>	
Alpha 1 Antitrypsin Genotyping						
Clinical indication	Not provided.			17/Oct/2023	{P}	
AAT	0.78	[0.90-2.00]	g/L	06/Sep/2023	{P}	
AIAT genotype	MM			17/Oct/2023	{P}	
AIAT genotype comment	The S and Z alleles were not detected by real time PCR genotyping. This result indicates that this patient does not have an AIAT deficiency syndrome. Dr SPH Review, Clinical Chemist				17/Oct/2023	{P}
Alpha 1 Antitrypsin	0.78	[0.90-2.00]	g/L	06/Sep/2023	{P}	

{P} - Testing performed or reported by St Paul's Hospital

LEGEND:

H/L Abnormal Value
 HH/LL Critical Value
 */** General Laboratory - Abnormal Text Result
 + Microbiology Susceptibility - indicates comment printed below results

This report is intended only for the use of the addressee. Please call 1-877-747-2522 in the event you have clinical questions about the information it contains, or if you have received this report in error.

END OF REPORT